



Hospital Bed & Furniture Catalog

ALIT MEDICAL

Head office: 407-8, Hing Yip Commercial Building, 284 Des Vouex Road Central, Hong Kong | Tel: +852-9811-8857

UK address: 39-40 Queen's Gate, Kensington, London, SW7 5HR, UK | Tel: +44 208-638-8232

USA address: 145 Talmadge Road, Suite 4, Edison, NJ 08817, USA | Tel: +1 732-734-0699

UAE address: 297 Bayan Business Center, Green Community Village, Dubai, UAE | Tel: +971501355145

Email us on info@alitmedical.com

www.alitmedical.com






CONTENTS

01	HOSPITAL BED
16	EXAMINATION COUCH
17	BABY BED
18	CHILDREN BED
19	OPERATION TABLE
22	GYNECOLOGICAL TABLE
24	SURGICAL PENDANT
25	SHADOWLESS LIGHT
28	BLOOD DONATION CHAIR
29	PATIENT TRANSFER TROLLEY
33	MEDICAL TROLLEY
37	OTHER HOSPITAL FURNITURE
39	BEDSIDE CABINET
41	MEDICAL CABINET
42	MEDICAL MATTRESS
43	EMERGENCY PRODUCTS

Multi-function Electric Hospital Bed
YXZ-C5 (A1)



Technical Parameter

◆ External Length	2290mm	◆ Backrest section adjustment range	0-75°±10°
◆ External width	1020mm	◆ Knee section adjustment range	0-18°±10°
◆ Adjustable height range	500-1000mm	◆ Trendelenburg & Reserve-Trendelenburg	0-12°
◆ Mattress platform	L(1830-2030)*W820mm	◆ Loading capacity	250kg

Technical Configuration:

◆ Linear Motor	6pcs	◆ Braking pedal	2pcs
◆ 6 inch double side secure castor, central braking	4pcs	◆ Night light	1set
◆ ABS head and foot board, one step removable	1set	◆ Data storage system	1set
◆ ABS side rail with integrated LCD control panel	4pcs	◆ CPR quick release system (manual and electric)	1set
◆ IV pole	1pc	◆ Bed push handle for emergency transfer	1set
◆ 5th Directional wheel	1pc	◆ Weighing system (optional)	
◆ X-Ray radiolucent bed platform	1set		

Five Function Electric Hospital Bed YXZ-C5 (A2)



Technical Parameter

◆ Size	L213*W105*H45-70cm
◆ Backrest section adjustment range	0-75°±5°
◆ Knee section adjustment range	0-45°±5°
◆ Trendelenburg & Reserve-Trendelenburg	0-12°
◆ Loading capacity	250kg

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail with integrated control panel and angle indicator	4pcs
◆ IV pole	1pc
◆ Bumper wheels on each corner	4pcs
◆ Braking pedal	2pcs
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	

Five Function Electric Hospital Bed YXZ-C5 (A3)



Technical Parameter

◆ Size	L213*W105*H45-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable, with nurse control	1set
◆ ABS side rail with integrated control panel and angle indicator	4pcs
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ X-Ray radiolucent bed platform	1set
◆ ABS bottom frame with storage function	1set
◆ CPR system, back-up battery (optional)	



Five Function Electric Hospital Bed YXZ-C5 (A3-2)



Technical Parameter

◆ Size	L213*W105*H45-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail with angle indicator	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Five Function Electric Hospital Bed YXZ-C5 (A4)



Technical Parameter

◆ Size	L213*W105*H45-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail with integrated control panel and angle indicator	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	2pcs
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Five Function Electric Hospital Bed YXZ-C5 (A5)



Technical Parameter

◆ Size	L213*W105*H45-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Five Function Electric Hospital Bed YXZ-C5 (A6)



Technical Parameter

◆ Size	L213*W105*H48-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail with angle indicator	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ Bumper wheels on each corner	4pcs
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Five Function Electric Hospital Bed YXZ-C5 (A7)



Technical Parameter

◆ Size	L208*W96*H48-70cm
--------	-------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs
◆ Remote control	1pc
◆ IV pole	1pc



Three Function Electric Hospital Bed
YXZ-C3 (A1)



Technical Parameter

◆ Size	L213*W105*H48-70cm
--------	--------------------

Technical Configuration:

◆ Motor	4pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail with angle indicator	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ Bumper wheels on each corner	4pcs
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Three Function Electric Hospital Bed
YXZ-C3 (A3)



Technical Parameter

◆ Size	L208*W96*H48-70cm
--------	-------------------

Technical Configuration:

◆ Motor	3pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs
◆ Remote control	1pc
◆ IV pole	1pc



Three Function Electric Hospital Bed
YXZ-C3 (A2)



Technical Parameter

◆ Size	L213*W105*H45-70cm
--------	--------------------

Technical Configuration:

◆ Motor	3pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail	4pcs
◆ Remote control	1pc
◆ IV pole	1pc
◆ Braking pedal	1pc
◆ CPR system, X-Ray radiolucent board, back-up battery (optional)	



Two Function Electric Hospital Bed
YXZ-C2



Technical Parameter

◆ Size	L208*W96*H50cm
--------	----------------

Technical Configuration:

◆ Motor	2pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs
◆ Remote control	1pc
◆ IV pole	1pc



Four Crank Hospital Bed YX-D-5 (A1)



Technical Parameter	
◆ Size	L208*W96*H48-70cm

Technical Configuration:	
◆ 5 inch double side secure castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs



Four Crank Hospital Bed YX-D-5 (A2)



Technical Parameter		
◆ Size	L213*W105*H48-70cm	

Technical Configuration:		
◆ 5 inch double side secure castor, all with brake		4pcs
◆ ABS head and foot board, one step removable		1set
◆ ABS side rail		4pcs



Three Crank Hospital Bed YX-D-4 (A1)



Technical Parameter	
◆ Size	L213*W105*H48-70cm
Technical Configuration:	
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ ABS side rail	4pcs
◆ Braking pedal	2pcs
◆ Soft joint	2pcs



Three Crank Hospital Bed YX-D-4 (A2)



Technical Parameter	
◆ Size	L208*W96*H48-70cm

Technical Configuration:	
◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs



Two Crank Hospital Bed YX-D-3 (A1)



Technical Parameter	
◆ Size	L208*W96*H50cm

Technical Configuration:	
◆ 5 inch double side secure castor, central braking	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs
◆ Braking pedal	1 pc
◆ Over bed table with bumper	1 pc
◆ Shoe rack	1 pc



Two Crank Hospital Bed YX-D-3 (A2)



Technical Parameter	
◆ Size	L208*W96*H50cm

Technical Configuration:	
◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ ABS head and foot board, one step removable	1set
◆ Aluminum alloy side rail	2pcs
◆ Over bed table with bumper	1 pc
◆ Shoe rack	1 pc



Flat Hospital Bed YX-D-1(A1)

Technical Parameter

◆ Size L204*W90*H50cm

Technical Configuration:

◆ ABS head and foot board, one step removable 1set



One Crank Hospital Bed YX-D-2(A1)



Technical Parameter

◆ Size L208*W96*H50cm

Technical Configuration:

◆ ABS head and foot board, one step removable 1set
◆ Aluminum alloy side rail 2pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake 4pcs



Two Crank Hospital Bed YX-D-3(A3)



Technical Parameter

◆ Size L208*W96*H50cm

Technical Configuration:

◆ ABS head and foot board, one step removable 1set
◆ Aluminum alloy side rail 2pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake 4pcs



Three Function Super-low Electric Hospital Bed YXZ-C3(A4)



Technical Parameter

◆ Size L208*W96*H31-51cm

Technical Configuration:

◆ Motor 3pcs
◆ 5 inch rubber covered noiseless swivel castor, all with brake 4pcs
◆ ABS head and foot board, one step removable 1set
◆ Aluminum alloy side rail 2pcs
◆ Remote control 1pc
◆ IV pole 1pc



One Crank Hospital Bed YX-D-2(A2)



Technical Parameter

◆ Size: L204*W90*H50cm

Technical Configuration:

◆ Stainless steel head and foot board 1set



Three Crank Super Low Hospital Bed YX-D-4(A3)



Technical Parameter

◆ Size L208*W93*H30-55cm

Technical Configuration:

◆ 5 inch rubber covered noiseless swivel castor, all with brake 4pcs
◆ ABS head and foot board, one step removable 1set
◆ Aluminum alloy side rail 2pcs



Two Crank Hospital Bed YX-D-3(A4)



Technical Parameter

◆ Size: L204*W90*H50cm

Technical Configuration:

◆ Stainless steel head and foot board 1set



Two Crank Home Care Bed

YX-D-3 (HC001)



Technical Parameter

◆ Size	L215*W106*H50cm
--------	-----------------

Technical Configuration:

◆ 5 inch rubber covered noiseless swivel castor, all with brake	4pcs
◆ Wooden head and foot board with cushion	1set
◆ Aluminum alloy side rail	2pcs
◆ Over bed table	1pc



Two Function Electric Home Care Bed

YXZ-C2 (HC003)



Technical Parameter

◆ Size	L215*W106*H50cm
--------	-----------------

Technical Configuration:

◆ Motor	2pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ Wooden head and foot board	1set
◆ Aluminum alloy side rail	2pcs
◆ Remote control	1pc
◆ Braking pedal	1pc



Two Function Electric Home Care Bed

YXZ-C2 (HC002)



Technical Parameter

◆ Size	L215*W106*H50cm
--------	-----------------

Technical Configuration:

◆ Motor	2pcs
◆ 5 inch double side secure castor, central braking	4pcs
◆ Wooden head and foot board	1set
◆ Aluminum alloy side rail	2pcs
◆ Remote control	1pc
◆ Braking pedal	1pc



Three Function Electric Bed

YXZ-C3 (HC004)



Technical Parameter

◆ Size	L215*W106*H48-70cm
--------	--------------------

Technical Configuration:

◆ Motor	3pcs
◆ 5 inch swivel castor, all with brake	4pcs
◆ Wooden head and foot board	1set
◆ Wooden side rail	2pcs
◆ Remote control	1pc



Orthopedic Bed YX-D-6(G-I)

- ◆ Full stainless steel traction gantry, ABS bed head/foot board.
- ◆ The powder coated steel bed frame& bed surface.
- ◆ One-step punching bed surface, powder coated.
- ◆ Back-section lifting angle is 80°.
- ◆ Foot-section lifting angle is 45°.
- ◆ 2 aluminum alloy guardrail to ensure the patients' safety
- ◆ Four noiseless center control castors
- ◆ The crank system has position protecting design.
- ◆ Dimension: 2150*900*530~790mm(the bed height is adjustable)



Orthopedic Bed YX-D-6(G- II)

- ◆ Stainless steel traction gantry, Stainless steel bed head/ foot board.
- ◆ Painted batten bed surface, 2 aluminum alloy guardrail to ensure patients' safety, 4 noiseless castors , equipped with one I.V drip stand for patients' transfusion.
- ◆ Back-section lifting angle is 80°.
- ◆ Foot-section lifting angle is 45°.
- ◆ 4 sets manual crank system.
- ◆ Dimension: 2130*990*490mm



Steel examination couch
YXZ-001
SIZE:1900×600×700mm



Steel electric examination couch
YXZ-002
SIZE:1900×600×500-750mm



Stainless steel foldable examination couch
YXZ-003
SIZE:1900×600×700mm



Steel massage table
YXZ-004
SIZE:1900×600×700mm



Stainless steel adjustable examination couch
YXZ-005
SIZE:1900×600×700mm



Stainless steel adjustable examination couch
YXZ-006
SIZE:1900×600×700mm



Steel adjustable examination couch
YXZ-007
SIZE:1900×600×700mm



Luxurious adjustable examination couch
YXZ-008
SIZE:1900×600×700mm



Electric examination table
YXZ-009
SIZE:1900×550×400-800mm



Electric examination table
YXZ-010
SIZE:1900×550×600-800mm



ABS baby bed
YX-B-1



Powder coated steel baby bed
YX-B-2
SIZE:810×520×880mm



Powder coated steel baby bed
YX-B-3
SIZE:870×540×890mm



One function manual epoxy painted steel children bed
YX-C-2
SIZE:1650×800×700mm



Two function manual epoxy painted steel children bed
YX-C-3
SIZE:1650×800×700mm



Stainless steel baby bed
YX-B-4
SIZE:875×525×650mm



Stainless steel baby bed
YX-B-4(unchangeable)
SIZE:800×450×910mm



Swaddling table
YX-B-4(ST1)
SIZE:1000×600×1000mm



One function manual epoxy painted steel children bed
YX-C-2A
SIZE:1650×800×700mm




Flat epoxy painted steel children bed
YX-C-1
SIZE:1210×690×600mm

YX-ET300C



Technical Configuration:

◆ Tabletop Length/width	2170/550mm	◆ Back plate adjustment	+90°/-40°
◆ Tabletop Elevation(up/down)	1100/690mm	◆ Sliding	350mm
◆ Trendelenburg/Anti-tredelenburg	30°/30°	◆ Kidney Bridge	110mm
◆ Lateral tilt	20°/20°	◆ Flex	90°
◆ Head plate adjustment	40°/90°	◆ Reflex	250°
◆ Leg plate adjustment	up:15°,down:90°,outward:90°	◆ Material	Stainless Steel
◆ Power Source	Hydraulic	◆ Power supply	AC220V/110V



● OPERATION TABLE



Multi-purpose operation table
YX-MT300A
SIZE:2010×500×760-1010mm



Multi-purpose operation table
YX-MT300
SIZE:2010×500×760-1010mm



Multi-purpose operation table
YX-MT600
SIZE:2010×500×670-970mm

GYNECOLOGICAL TABLE ●



Gynecological operation table
YX-C1280J1
SIZE:1340×520×680mm



Gynecological operation table
YX-C1280J
SIZE:1420×570×600mm



Gynecological operation table
YX-C1280F1
SIZE:2100×940×660mm



Powder coated examination couch
YXZ-Q-1
SIZE:1850×680×700mm



Gynecological examination table
YXZ-Q-2
SIZE:1680×600×800mm



Stainless steel delivery table
YXZ-Q-3
SIZE:1800×600×800mm



Multi-purpose delivery table
YXZ-Q-4
SIZE:1900×600×700-900mm



Multi-purpose delivery table
YXZ-B48
SIZE:2000/1450×900/660×620/920mm



Multi-purpose delivery table
YX-C1280A
SIZE:1450×600×580mm



Multi-purpose delivery table
YX-C1280B
SIZE:1980×720×630-880mm



Multi-purpose delivery table
YX-C1280C
SIZE:1780×600×680-880mm

KL-T· II B [MANUAL SURGICAL CEILING SUPPLY UNIT]

KL-T· II B Surgical Pendant is a necessary equipment for modern clean operation rooms, general operation rooms and ICU sickrooms. All kinds of terminals such as for medical gas, electricity, network are all gathered on the control board. Some medical machines of certain weight can be placed on the board and drawer.

Features

- ◆ The cross arm and control cabinet of the tower crane adopt the imported high-strength aluminum alloy of patent technology for the one-off extrusion molding, and the surface undergoes the primary oxidation treatment.
- ◆ Aluminum molding tray with non-slip texture.
- ◆ Mechanical friction damping brake.
- ◆ The gas pipeline, power supply and computer communication line are separately arranged without interference.
- ◆ The imported German standard gas terminal(over 20,000 of inserting and pulling out) is adopted.
- ◆ The horizontal rotation function can accurately position without excursion.

Basic configuration

One discharge device(German style) for oxygen, suction gas and compressed air, four power outlets, one network outlets. (Optional gases)



Surgical pendant
KL-T· II B

KL-T· II BJ [MANUAL ENDOSCOPY CEILING SUPPLY UNIT]

KL-T· II BJ Surgical Endoscopic Pendant is a necessary equipment for modern clean operation rooms and general operation rooms. It can be used for suspending endoscopic dolly. Some medical machines of certain weight can be placed on the board. All kinds of terminals such as for medical gas, electricity, network are all gathered on the control board.

Features

- ◆ The cross arm and control cabinet of the tower crane adopt the imported high-strength aluminum alloy of patent technology for the one-off extrusion molding, and the surface undergoes the primary oxidation treatment.
- ◆ Aluminum molding tray with non-slip texture.
- ◆ Mechanical friction damping brake.
- ◆ The gas pipeline, power supply and computer communication line are separately arranged without interference.
- ◆ The imported German standard gas terminal(over 20,000 of inserting and pulling out) is adopted.
- ◆ The high bearing capacity with suspension the cavity mirror car system.
- ◆ The horizontal rotation function can accurately position without excursion.

Basic configuration

One discharge device(German style) for compressed air, carbon dioxide, oxygen, suction gas and anesthetic gas respectively, eight power outlets, one phone inset, one network outlets. (Optional gases)



Surgical Endoscopic Pendant
KL-T· II BJ

II Series Led Operating Light

II LED700/500(SQUARE ARM)



II LED700/500(SQUARE ARM ECOA020)

Technical specifications for LED light

◆ Technical specifications for lights	II LED700	II LED500
◆ Central illuminance at 1m working distance	40,000~180,000lux	40,000~160,000lux
◆ Focusable light-field size at 1m distance	120~300mm	120~300mm
◆ Colour temperature	3500~5000k	3500~5000k
◆ Depth of focus	>700mm	>700mm
◆ Color index Ra	95	95
◆ Power supply	110~240V 50/60Hz	110~240V 50/60Hz
◆ Effective bulb service life	>50,000h	>50,000h
◆ Diameter of lamp housing	700mm	550mm
◆ Power consumption of light heads(W)	60	48
◆ Installation height(Celling type)	280~320cm	280~320cm



II LED700 Mobile With Battery
ECOA026



II LED700 Mobile
ECOA024

Cold infrared-free light

- ◆ In comparison to conventional halogen and gas discharge lamps, the "cold" LED light allowing for fatigue-free operating and prevents tissue from drying out in the operation field at the head area of the surgeon.

Shadow-free illumination

- ◆ The relation between light body and light field diameter guarantees an optimum illumination of the OT field in terms of area and depth.

High Luminance with optimum color rendering

- ◆ Designed to provide a light output with a color rendering index and color temperature which is very close to natural daylight. This helps the surgeon to distinguish between pathological and healthy tissue.

Optimum design for clean air ceilings (Laminar Air Flow)

- ◆ The perfect design reduce the airflow surface beneath the ventilated ceiling, Flow- optimized light head and reduced surface temperature minimise turbulence in laminar air flow.

Long-lasting light sources, environmentally friendly

- ◆ With a life cycle of at least 50,000 operational hours, an LED provides illumination many times longer than conventional lighting. In addition, each LED can be replaced individually and on site.

The Germany ondal and Chinese arm system option

- ◆ As a flexible lighting solution, LED light can be individually combined with different support arm solutions, enabling it to be used as needed in different operating theatres.



II LED500/500(ECOA021)



II LED700(ECOA022)



II LED500(ECOA023)

SQUARE BALANCE ARM

- II LED700/700(ECOA019)
- II LED700/500(ECOA020)
- II LED500/500(ECOA021)
- II LED700 (ECOA022)
- II LED500 (ECOA023)

ROUND BALANCE ARM:

- II LED700/700(ECOA028)
- II LED700/500(ECOA029)
- II LED500/500(ECOA030)
- II LED700 (ECOA031)
- II LED500 (ECOA032)

MOBILE TYPE:

- II LED700 MOBILE (ECOA024)
- II LED500 MOBILE (ECOA025)
- II LED700 MOBILE+BATTERY(ECOA026)
- II LED500 MOBILE+BATTERY(ECOA027)

KL-LED · SZ4 SERIES

KL-LED·SZ4 series shadowless operation lamp are suitable for the requirements of various operation conditions and it is ideal operating lighting equipment for modern operation rooms and clean operation rooms and clean operation rooms.

Features


- ◆ Imported LED cold light source is adopted, with the ultrathin optical lens.
- ◆ Digital means are adopted for stepless regulation of LED brightness.
- ◆ Light field size can be adjusted by the handle.
- ◆ The removable handle sheath can be disinfected.
- ◆ The service life of LED shadowless lamp is long(50,000h).
- ◆ Color temp can be adjusted in three steps.
- ◆ The imported switch power supply is adopted to control the voltage, making the work voltage permanently stable.
- ◆ The no welding titanium alloy arm, Imported spring arm make sure the lamp head adjusted easily and freely.



Shadowless operation lamp
KL-LED · SZ4



Shadowless operation lamp
KL-LED · SZ4/SZ4



Luxury Electric Blood Donation Chair YXZ-0938



Specification

- ◆ Mattress Size:190*490*120mm
- ◆ Seat width:600mm
- ◆ Seat width(include handrail):600mm
- ◆ Full length:1880mm
- ◆ Back adjustment:-10°-80°
- ◆ Seat adjustment angle:0°-30°
- ◆ Foot adjustment angle:-10°-80°
- ◆ Load bearing:200KGS
- ◆ Optional for electric or manual



Manual Patient Transfer Trolley YXZ-E-1



Technical Parameter

- ◆ Size: L1930*W640*H650-950mm

Functions

- ◆ HI-LOW: 56-86cm
- ◆ Back section adjustable from: 0 to 60°
- ◆ Loading capacity: 180kgs

Description

- ◆ It is a type of manual transfer stretcher
- ◆ Bright arrow symbols direct the users how to operate clearly
- ◆ Central-lock castors, diameter 150mm. Matched with direction castor under the chassis, which help the users easy control the stretcher direction
- ◆ Side rails: 2pcs, ABS, detachable
- ◆ Back section is operated by gas spring
- ◆ ABS patient platform
- ◆ Single crank for height adjustment
- ◆ Standard accessories: Mattress, I.V. Drip pole



Holder for oxygen bottle
For first-aid use, place small oxygen bottle randomly



Noiseless swivel wheels
Using international advanced central braking system



Luxury hydraulic rod
Adjusting the back side angle, convenient operation



Steer **Brake**

Hydraulic Patient Transfer Trolley YXZ-E-2

Technical Parameter

- ◆ Size: L1950*W650*H550-840mm

Functions

- ◆ HI-LOW: 55-84cm
- ◆ Back section adjustable from: 0 to 60°
- ◆ Trendelenburg & Reserve Trendelenburg angle: 0 to 13°

Description

- ◆ It is a type of hydraulic transfer stretcher. Five functions available by pressing the foot-pedals
- ◆ Bright arrow symbols direct the users how to operate clearly Central-lock castors, diameter 150mm. Matched with direction castor under the chassis, which help the users easy control the stretcher direction
- ◆ Side rails: 2pcs, ABS, detachable
- ◆ ABS patient platform
- ◆ Single crank for height adjustment
- ◆ Loading capacity: 180kgs



Operation Room Connecting Trolley YXZ-E-3

Technical Parameter

- ◆ L3650*W640*H640-920mm

Functions

- ◆ HI-LOW: 64-92cm
- ◆ Back section adjustable from: 0 to 75°

Description

- ◆ Epoxy coated steel

Accessories

- ◆ Side rails: 2pcs, ABS, detachable
- ◆ Operated by manual crank
- ◆ ABS patient platform
- ◆ Castors: 125mm castors with central locking system
- ◆ Single crank for height adjustment
- ◆ Loading capacity: 180kgs



Multi-function Hydraulic Patient Transfer Trolley YXZ-E-4



Specification

- ◆ Bed surface: L1950*W610
- ◆ Back-rest lifting: 0°-82°(±5°)
- ◆ Leg-rest lifting: 0°-30°(±5°)
- ◆ Reserved trendelenburg :0°-18°
- ◆ Trendelenburg: 0°-18°
- ◆ Height adjustment: 615-935mm
- ◆ Loading bearing: 220kg

Description

- ◆ Equipped with two USA hydraulic pumps
- ◆ Electrostatic spray steel frame and ABS base
- ◆ Foldable stainless steel guardrail
- ◆ With 100mm waterproof PU mattress
- ◆ 8 inch central controlled castor
- ◆ Pedal control elevation and trendelenburg/reserve trendelenburg located on both sides of the table
- ◆ X-ray translucent platform
- ◆ 5th wheel to control the direction of moving
- ◆ With oxygen cylinder holder and tray for placement of x-rays cassette
- ◆ With 1 pieces SS telescoping I.V. Stand and previsions
- ◆ With rubber bumpers on the four corners



Stainless steel stretcher trolley
YX-1
SIZE: 1950x650x600-800mm



Stainless steel stretcher trolley
YX-2
SIZE: 1950x640x600-850mm



Stainless steel stretcher trolley
YX-3
SIZE: 1950x600x800mm



Steel stretcher trolley
YX-4
SIZE: 1950x650x770mm



Manual bath bed
YX-5
SIZE: 1900x700x500-900mm



Electric bath bed
YX-6
SIZE: 1860x650x500-900mm



Emergency trolley
YX-ET850
SIZE:850×520×950mm

Emergency trolley
YX-ET750B
SIZE:750×475×930mm

Specification

- ◆ Integral ABS surface, special concave top design covered with transparent plastic. Total with five drawers: two small, two medium and one big, each inner with partitions can be organized freely into different size units.
- ◆ Accessories: Sliding side shelf, dust basket, needle disposable holder (optional), oxygen tank holder, power outlet& hooks, file holder, centralized lock, stainless steel guard rail, luxury noiseless castor.



Emergency trolley
YX-ET630F
SIZE:750×475×930mm



Emergency trolley
YX-ET760LS
SIZE:750×475×930mm



Medicine trolley
YX-MT760LS
SIZE:750×475×920mm



Emergency trolley
YX-ET850C
SIZE:850×520×950mm



Medicine trolley
YX-MT850C
SIZE:850×520×950mm



Medicine trolley
YX-MT850
SIZE:850×520×950mm



Medicine trolley
YX-MT750
SIZE:760×480×920mm



Anaesthetic trolley
YX-AT760CT
SIZE:750×475×920mm



Utility trolley
YX-UT101
SIZE:539×366×858mm



Utility trolley
YX-UT201
SIZE:640×456×858mm



Utility trolley
YX-UT301B
SIZE:760×520×858mm



Utility trolley
YX-UT301A
SIZE:760×520×858mm



Medicine trolley
YX-MT750D
SIZE:750×475×920mm



Medicine trolley
YX-MT750D3
SIZE:750×475×920mm



Medication trolley
YX-CT600
SIZE:600×450×900mm



Medication trolley
YX-CT6002
SIZE:600×450×900mm



Emergency trolley
YX-ET750HS
SIZE:750×475×930mm



Anaesthetic trolley
YX-AT750HS
SIZE:750×475×930mm



Infusion trolley
YX-ITT750
SIZE:750×475×920mm



Medication trolley
YX-CT750C
SIZE:750×475×920mm

• MEDICAL TROLLEY



Stainless steel medicine trolley
SM-001
SIZE:600×400×800mm



Stainless steel trolley(two-layer)
SM-002
SIZE:670×450×890mm



Stainless steel trolley(three-layer)
SM-003
SIZE:670×450×900mm



Stainless steel infusion treatment trolley
SM-004
SIZE:700×450×1750mm



Stainless steel dressing trolley
SM-005
SIZE:800×600×800mm



Steel dressing trolley
SM-006
SIZE:810×590×870mm
90×430×870mm



Stainless steel dressing trolley
SM-007
SIZE:950×550×800mm



Stainless steel dressing trolley
SM-008
SIZE:940×440×900mm



Stainless steel mayo trolley
SM-009
SIZE:600×400×1030mm



Fan shape instrument trolley
SM-010
SIZE:1400×460×900mm



ABS clinical trolley
SM-011
SIZE:600×410×860mm



Stainless steel trolley
SM-012
SIZE:880×410×730-1130mm



Stainless steel medical trolley with bucket
SM-013
SIZE:660×440×860mm



Stainless steel medical trolley
SM-014
SIZE:700×450×800mm



Stainless steel medical trolley
SM-015
SIZE:650×500×800mm



Stainless steel cleaning trolley
SM-016
SIZE:1350×830×800mm

MEDICAL TROLLEY •



Stainless steel treatment trolley
SM-017
SIZE:900×550×950mm



Stainless steel emergency trolley
SM-018
SIZE:700×400×850mm



Stainless steel treatment trolley
SM-019
SIZE:670×450×900mm



Stainless steel medical trolley
SM-020
SIZE:430×630×760mm



Stainless steel oxygen bottle trolley
SM-021
SIZE:330×330×1200mm



Stainless steel platform trolley
SM-022



Stainless steel mayo trolley
SM-023
SIZE:500×350×1050mm



Kicking bucket
SM-024
SIZE:Φ230/Φ290×240mm



Medical trolley
CT-001
SIZE:690×450×780mm



Medical trolley
CT-002
SIZE:690×450×810mm



Medical trolley
CT-003
SIZE:680×450×960mm



Medical trolley
CT-004
SIZE:640×450×910mm



Medical trolley
CT-005
SIZE:650×500×960mm



Medical trolley
CT-006
SIZE:620×450×920mm



Medical trolley
CT-007
SIZE:670×420×880mm



Patient record trolley
CT-008
SIZE:380×410×910mm



Patient record trolley
CT-009
SIZE:705×410×975mm

OTHER HOSPITAL FURNITURE



Movable dinner table
C201
SIZE:800×410×730-1130mm



Movable dinner table
C202
SIZE:800×400×780-1080mm



Movable dinner table
C203
SIZE:800×320×780-1080mm



Movable dinner table
C204
SIZE:900×450×900-1250mm



Movable dinner table
C205
SIZE:900×450×900-1250mm



Stool
MD1
SIZE:Φ520×520×460-660mm



Stool
MD2
SIZE:Φ320×450-650mm



Stool
MD3
SIZE:Φ300×500-700mm



Stool
MD4
SIZE:Φ400×500-660mm



One step stool

Step stool
YXZ-025
SIZE:380×370×240mm



Square stool
YXZ-026
SIZE:340×270×430mm

I.V drip pole



SY-1



SY-2



SY-3



SY-4



SY-5

OTHER HOSPITAL FURNITURE



Three-fold ward screen
YXZ-028
Unfold size: L1500×H1800×W500mm
Folded size: L500×H1800×W80mm



Four-fold ward screen
YXZ-028C
Unfold size: L2000×H1800×W500mm
Folded size: L500×H1800×W100mm



Stainless steel washing sink
XS-1
SIZE:1500×600×1100mm



Patient transfer board
YXZ-029
Unfold size: L1800×H500×H10mm
Folded size: L900×H500×H20mm



Epoxy coated steel infusion chair
ETC-001
SIZE:680×800×1100mm



Stainless steel infusion chair
ETC-002
SIZE:680×800×1100mm



Luxurious infusion chair
ETC-003
SIZE:730×840×1050mm



Epoxy coated steel infusion chair
ETC-004
SIZE:730×780×1050mm



Three-seat waiting chair
ETC-005
SIZE:L1760×H790×D680mm



Three-seat waiting chair
ETC-006
SIZE:L1760×H790×D680mm



Accompany chair
ETC-007
SIZE:620×670×420mm
1930×630×580mm



Accompany chair
ETC-008
SIZE:620×760×360mm

BEDSIDE CABINET



ABS Bedside Cabinet
YXZ-800
SIZE:480×480×750mm

Color option of YXZ-800



ABS bedside Cabinet
YXZ-801
SIZE:480×480×750mm



ABS bedside Cabinet
YXZ-802
SIZE:480×480×870mm



ABS bedside Cabinet
YXZ-803
SIZE:480×480×875mm



ABS bedside Cabinet
YXZ-804
SIZE:570×500×730mm



ABS bedside Cabinet
YXZ-805
SIZE:470×470×800mm



ABS bedside Cabinet
YXZ-806
SIZE:500×500×700mm



ABS bedside Cabinet
YXZ-807
SIZE:440×460×770mm

BEDSIDE CABINET



Bedside cabinet
YXZ-808
SIZE:505×465×720mm



Bedside cabinet
YXZ-809
SIZE:520×480×720mm



Bedside cabinet
YXZ-810
SIZE:460×440×780mm



Bedside cabinet
YXZ-811
SIZE:505×465×720mm



Bedside cabinet
YXZ-812
SIZE:480×480×750mm



Bedside cabinet
YXZ-813
SIZE:440×460×775mm



Bedside cabinet
YXZ-814
SIZE:480×400×760mm



Stainless steel bedside cabinet
YXZ-815
SIZE:470×410×750mm



Steel medicine cabinet
LS001
SIZE:900×430/260×1750mm



Stainless steel medical cabinet
LS002
SIZE:900×430/260×1750mm



Steel instrument cabinet
LS003
SIZE:900×400×1800mm



Steel instrument cabinet
LS004
SIZE:900×400×1800mm



Stainless steel instrument cabinet
LS005
SIZE:900×400×1800mm

• MEDICAL CABINET



Stainless steel instrument cabinet
LS006
SIZE:900×400×1750mm



Epoxy painted steel 3-door wardrobe
LS007
SIZE:900×500×1800mm



Rotary medicine shelf
LS008
SIZE:920×1800mm



Two-side adjustable medicine shelf
LS009
SIZE:800×800×2000mm



Chinese medicine cupboard
LS010
SIZE:1600×500×2000×460mm



Storage rack
LS011
SIZE:1200×470(6000)×2000×300mm
1500×470(6000)×2000×400mm
1800×470(6000)×2000×500mm



Adjustable medicine shelf
LS012
SIZE:1025×500×2000mm



Two-side adjustable rack
LS013
SIZE:800×860×2000×200mm



One-side adjustable rack
LS014
SIZE:800×460×2000mm



Medicine shelf
LS015
SIZE:1200×500×2000mm



Medicine operation cupboard
LS016
SIZE:Upside 2000×500×800mm
Base 2000×750×1000mm



Chinese medicine cupboard
LS017
SIZE:Upside 1600×600×850mm
Base 1600×300×850mm



Medical cupboard
LS018
SIZE:850×300×1800mm

MEDICAL MATTRESS •

Medical mattress
YX1001



Orthopedics Bed Mattress A

Medical mattress
YX1002



Double crank Bed Mattress B

Medical mattress
YX1003



One crank Bed Mattress C

Medical mattress
YX1004



Flat Bed Mattress D

Alternating Pressure Mattress with pump
YX2002



Alternating Pressure Mattress with pump
YX2003



Alternating Pressure Mattress with pump
YX2004

